

Line wrap

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8">
5   <title>Basic Form</title>
6
7 <!--
8   File: http://cssdweb.edu/StudentResources/CodeSamples/BasicForm.html
9   Copyright (c) 2022-2023 by Jesse Heines. All rights reserved. May be freely
10  copied or excerpted for educational purposes with credit to the author.
11  updated by JMH on June 12, 2022 at 10:39 PM
12  updated by JMH on June 6, 2023 at 10:58 AM
13 -->
14
15 <style>
16   h2#title {                /* main page title */
17     color: blue ;
18     margin-bottom: 0.2em ;
19   }
20   h3#semester {            /* page subtitle (semester dates) */
21     color: blue ;
22     margin-top: 0 ;
23   }
24   .nobot {                 /* eliminate the bottom margin */
25     margin-bottom: 0 ;
26   }
27   .notop {                 /* eliminate the top margin */
28     margin-top: 0 ;
29   }
30 </style>
31 </head>
32
33 <body>
34 <!-- display the page title and term dates -->
35 <h2 id="title">Corrections Special School District<br>
36   Career & Technical Education Center</h2>
37 <h3 id="semester"><em>Term:</em>&nbsp;</h3>
38
39 <!-- instructions to the user -->
40 <p><br>
41   <em>Please provide the following information.</em></p>
42
43 <!-- form to create a new table entry -->
44 <form method="get" action="BasicForm_Handler_v2.html">
45 <!--
46   The value of the name attribute in each of the following form elements will be the
47   key passed when the form is submitted. This key is what is used to identify each
48   data item.
49   Note that unlike most other attributes, the required attribute does not have a
50   corresponding value. It is used simply on its own.
51 -->
52
53 <!-- spinner form element -->
54 <p>Room Number:&nbsp;<br>
55 <input type="number" name="room" min="1" max="10" step="1"
56   value="" required</p>
57
58 <!--
59   Input type number is a spinner. A spinner has minimum, maximum, and step values.
60   Setting the initial value to blank ("") forces the user to enter a value within
61   the specified range.
62 -->
63
64 <!-- select form element (or dropdown list) -->
65 <p>Instructor Name:&nbsp;<br>
66   <select name="instructor" required>
67     <option value="" selected disabled hidden>Choose an instructor</option>
68     <option value="Burzycki">Burzycki</option>
69     <option value="Heines">Heines</option>
70     <option value="Latorella">Latorella</option>
71     <option value="Lees">Lees</option>
72     <option value="Mosher">Mosher</option>
73     <option value="O'Donnell">O'Donnell</option>
74     <option value="Piper">Piper</option>
75     <option value="Spire">Spire</option>
76   </select>
77 <!--
78   The first option above prompts the user with instructions. However, this option
79   cannot be selected. The user is forced to select one of the other options.
80   It is also possible to specify how many of the options should initially be
81   visible, but this can sometimes confuse the user into thinking that those are the
82   only options available.

```

